High pressure bursting discs

Benefits


- Individual product specification for material, pressure and dimension
- Suitable for high pressures
- Optimum tightness even at extremely high pressures
- Space-saving and simple installation

Description

We offer our customers two types of standard high pressure bursting discs: conical (cap form) and flat bursting discs.

High pressure bursting discs in cap form are made from nickel, nickel-based material (Monel, Inconel, Hastelloy*) or stainless steel and are ideal for use with pressures between 400 and 7,000 bar.

Our flat, flanged bursting discs with nickel foil, nickel-based material, stainless steel or titanium are perfect for pressures of less than 400 bar.



Installation

Our high pressure bursting discs in cap form are used together with a cone shaped pressure pad in the conical seat of a high pressure screw connection and are characterised by their extreme tightness.

The flat, flanged high pressure bursting discs by contrast are positioned above the pressure pad in a high pressure screw connection.

Function

screw connection

High pressure bursting discs are used, for example, in high pressure pumps, test benches f or diesel high pressure pumps, extraction and water jet cutting plants and prevent the equipment from being damaged by unauthorised e xcess pressure. This avoids high repair costs and te dious stoppage periods.

screw connection

Technical data

General remarks	
Configuration	conical or flanged
Media	gas, steam, liquids
Temperature range	-40°C to +300°C
Tolerance of burst pressure	±10% (±5% for pressures >400 bar)

Minimum burst pressures in barü at 20 °C	
Stainless steel	50
Nickel	10
Monel	50
Inconel	50
Hastelloy	50

^{*}For materials not listed, please enquire.

Materials	
Stainless steel	standard application
Nickel	for lowest pressures
Monel	for low pressures
Inconel	for high temperatures
Hastelloy	esp. corrosion-resistant

^{*} Special materials on request.

Certifications

CE marking according to Directive 2014/68 EU

QM-system according to ISO 9001:2015